NYCServ Violation Copy

Internet

11571880N

FDNY SUMMONS • FOR CIVIL PENALTIES ONLY 10/26/17 VS

11571880N

SUMMONS NUMBER: 11571880N

ENFORCEMENT AGENCY NAME: NEW YORK CITY FIRE DEPARTMENT **DIVISION: FP Unit:** 320 **Admin CO** 320

AGENCY ADDRESS AND PHONE NUMBER: 9 MetroTech Center, 1st Flr, Bklyn, NY 11201-3657, (718) 999-2392

RESPONDENT: PUCILLO REALTY CORP **DBA:** CLOTHING FACTORY

MAILING ADDRESS: 4812 2nd Ave Brooklyn, N.Y. 11232 **ACCOUNT NUMBER:**

UNIT PHONE NUMBER: 718-965-8201

CELL PHONE:

DATE OF OCCURRENCE: 9/19/17 **TIME OF INSPECTION:** 10:50 AM PM

PLACE OF OCCURRENCE: 4821 2nd Ave Brooklyn NY 11232 **BOROUGH:** Brooklyn

You must respond to this Summons. You can appear at the hearing date and location below or choose another option. For other options on how to respond, see the back of this page.

HEARING DATE: 11/14/2017 **AT:** 8:30 AM PM

HEARING LOCATION: OFFICE OF ADMINISTRATIVE TRIALS AND HEARINGS

Brooklyn [Borough] (See reverse side for address) Phone: (844) 628-4692

REFER TO THE SUMMONS NUMBER ABOVE ON ALL CORRESPONDENCE.

WARNING: If you do not respond to this summons, the City will decide the Summons against you and penalties will be imposed. Failure to pay a civil penalty could lead to the denial of an application for, or the suspension, termination or revocation of a City license, permit or registration. In addition, the City may enter a judgment against you in court.

ORDER TO CORRECT AND CERTIFY CORRECTION: PLEASE TAKE NOTICE that the premises cited above is in violation of the requirements of law. It is further ORDERED by the FIRE COMMISSIONER that these violations be corrected and certified to be in compliance with the requirements of law within 35 days of the date of issuance. **See back of summons for further instructions.**

COMPLIANCE DATE: 10/24/17

Details of Violation(s)

Upon investigation, the New York City Fire Department has determined that the respondent is in violation of the following requirements of the New York City Administrative Code and/or the rules of the City of New York. These requirements have been grouped into violation categories (VC) for enforcement purposes. This grouping is allowed by Fire Department rule 3 RCNY §109-02

- [X] **VC1 Portable Fire extinguishers and Fire Hoses:** Failed to provide and/or maintain ___ required (portable fire extinguishers/fire hoses/other) at FIRST FLOOR.
- [ ] **VC2 Combustible Waste Containers:** Failed to provide required container(s) for combustible waste and/or store combustible waste in a container at ___
- [ ] **VC3 Permits:** Failed to (obtain/new/possess) a permit for ___
- [ ] **VC4 Unlawful Quantity or Location of Regulated Material:** (Manufacture/Storage/Handle/Use) ___ of ___ in violation of permit/quantity/location restrictions.
- [ ] **VC5 Recordkeeping:** Failed to (maintain/produce) records for ___ at ___.
- [X] **VC6 Signs, Posting, Notices and Instructions:** Failed to provide and/or maintain required (signs) (postings) (notices) (instructions) for EXIT SIGNS at FRONT & REAR STAIRS
- [ ] **VC7 Labels and Markings:** Failed to provide and/or maintain required label, or the other marking for ___ at ___.
- [ ] **VC8 Storage, Accumulation and Removal of Combustible Material and Waste:** Failed to remove combustible waste and/or allowed the storage/accumulation of combustible material, waste and/or vegetation at ___.
- [ ] **VC9 Rooftop Access and Means of Egress:** Failed to provide access/egress free from obstructions or impediments, and/or failed to maintain required egress at ___.
- [ ] **VC10 Overcrowding:** Failed to limit number of persons in ___ to ___.
- [ ] **VC11 General Maintenance:** Failed to maintain ___ in (good working order/clean condition) or in compliance with (general maintenance/housekeeping) requirements.
- [ ] **VC12 Fire Protection Systems:** Failed to provide and/or maintain required ___ at ___, and/or prevent unnecessary/unwarranted alarms.
- [ ] **VC13 Flame-Resistant Materials:** Failed to provide and/or maintain required flame-resistant materials ___ at ___.
- [ ] **VC14 Fire-Rated Doors and Windows:** Failed to (provide/protect/maintain) required (fire-rated/self-closing/access) door or window at ___.
- [ ] **VC15 Fire-Rated Construction:** Failed to provide and/or maintain required fire-rated construction of ___ at ___.
- [ ] **VC16 Ventilation:** Failed to provide and/or maintain required ventilation ___ at ___ for ___.
- [ ] **VC17 Certificates of Fitness and Certificates of Qualification:** Failed to obtain and/or produce required (Certificate of Fitness/Certificate of Qualification for ___.
- [ ] **VC18 Certificates of Approval, Certificates of License and Company Certificates:** Failed to obtain and/or produce required Certificate of Approval for ___ Certificate of License, or Company Certificate for ___.
- [ ] **VC19 Affidavits, Design and Installation Documents and Other Documentation:** Failed to (prepare/produce/submit) required documentation: ___
- [ ] **VC20 Inspection and Testing:** Failed to conduct required (initial/periodic) inspection or test of ___ at ___.
- [ ] **VC21 Portable Containers:** Failed to (provide/use) required container for ___ at ___.
- [ ] **VC22 Stationary Tanks:** Failed to provide required stationary tank storage system for ___ at ___.
- [ ] **VC23 Storage Facilities:** Failed to provide required storage (cabinets/enclosures/rooms/vaults) at ___.
- [ ] **VC24 Storage of Hazardous Materials/Commodities:** Failed to provide required racks and/or shelf storage, and/or failed to store ___ at ___.
- [X] **VC25 Electrical Hazards:** Failed to provide and/or maintain required electrical devices/equipment and/or allowed electrical hazards to exist at OPEN LIGHTS IN CEILING
- [ ] **VC26 Heating and Refrigeration Equipment and Systems:** Failed to provide and/or maintain required (heating/refrigerating) system for ___ at ___.
- [ ] **VC27 Electrical Lighting Hazards:** Failed to provide, protect, and/or maintain required lighting devices or equipment at ___
- [ ] **VC28 Open Fires, Open Flames and Sparks:** Unlawfully (lit/maintained/operated/used/failed to protect) (open fire open flame/sparking device) at ___
- [ ] **VC29 Designated Handling and Use Rooms Areas:** Failed to provide required (room/area) for (handling/use) of ___
- [ ] **VC30 Emergency Planning and Preparedness:** Failed to comply with emergency planning and preparedness requirements ___.

Repeat Violation (§15-229)

- [ ] Repeat violation of VC(s) ___ as previously cited on Summons# ___. (Respondent must appear at hearing)

False Certification (§15-220.1)

- [ ] Willfully falsified Certificate of Correction for Summons# ___. (Respondent must appear at hearing.)

Failed to Comply with Commissioner's Order to Correct and Certify (§15-231)

- [ ] On previously cited Summons# ___. (Respondent must appear at hearing)
- [ ] **Other Fire Code/Rule Violations:** ___

Description of Violation: (VC1) PROVIDE REQUIRED FIRE EXTINGUISHERS (VC6) PROVIDE REQUIRED EXIT SIGNS (VC25) PROVIDE LICENSED ELECTRICIAN TO FIX LIGHTING AND REMOVE EXTENSION CORDS

☐ Supplement Attached Maximum penalty for each First Offense: $1,000. Maximum penalty for each Repeat Violation: $5,000.

NYC Charter Sections 1048 and 1049-a and the Rules of the City of New York authorize the NYC Office of Administrative Trials and Hearings (OATH) to hold hearings

I, an employee of the agency named above, affirm under penalty of perjury that I personally observed the commission of the violation(s) charged above and/or verified their existence through a review of departmental records. False statements made herein are punishable as a Class A Misdemeanor pursuant to section 210.45 of the Penal Law.

Signature: James M Ca **Print Name/ID:** JAMES HARKIN **Title:** F.F.

MJ519H1911

OATH COPY